

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	43	(temperat\$4 therm\$4) near12 refract\$4 near4 ind\$4 near4 coeffic\$5 near4 (negative opposit\$1) same material\$1 same (waveguid\$1 (wave near1 guide\$1))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:27
2	BRS	L2	1312	(MZI\$1 interferomet\$4) same (waveguide\$1 wave near1 guid\$2 arm\$1 length\$1) same temperat\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 13:09
3	BRS	L3	2088	(MZI\$1 interferomet\$4) same (waveguide\$1 wave near1 guid\$2 arm\$1 length\$1 sensitiv\$5 sens\$4) same temperat\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:16
4	BRS	L4	9	1 and 3	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 13:10
5	BRS	L5	8	4 and (heat\$4 electro\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:17
6	BRS	L6	0	'2002-62,409'	JPO; DERWEN T	2005/07/28 13:29

	Comments	Error Definition	Errors
1			
2			
3			
4			
5			
6			

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	1	'200262,409'	JPO; DERWEN T	2005/07/28 13:28
8	BRS	L8	11	'62,409'	JPO; DERWEN T	2005/07/28 13:29
9	BRS	L9	0	'062,409'	JPO; DERWEN T	2005/07/28 13:29
10	BRS	L10	3	'2002062,409'	JPO; DERWEN T	2005/07/28 13:30
11	BRS	L11	2	coupler adj1 circuit adj1 device and chen	JPO; DERWEN T	2005/07/28 14:13
12	BRS	L12	2	"6,311004".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 14:30
13	BRS	L13	3	"2000029079"	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 14:17
14	BRS	L14	2	("6,311004" "6,643,431").pn.	US- PGPUB; USPAT	2005/07/28 15:32
15	BRS	L15	105	(temperat\$4 therm\$4) same refract\$4 near4 ind\$4 near4 (negative opposit\$1) same material\$1 same (waveguid\$1 (wave near1 guide\$1) mzi\$1 interferomet\$4 core\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:27

	Comments	Error Definition	Errors
7			
8			
9			
10			
11			
12			
13			
14			
15			

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	13	3 and 15	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:17
17	BRS	L17	11	16 and (heat\$4 electro\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:17
18	BRS	L18	4	17 not 5	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:17
19	BRS	L19	2	14 and (temperat\$4 therm\$4) near12 refract\$4 near4 ind\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:32
20	BRS	L20	1	"6311004".pn.	US- PGPUB; USPAT	2005/07/28 15:32
21	BRS	L21	1	14 and (temperat\$4 therm\$4) same refract\$4 near4 ind\$4 near12 (waveguide\$1 arm\$1 core\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:33

	Comments	Error Definition	Errors
16			
17			
18			
19			
20			
21			

	Type	L #	Hits	Search Text	DBs	Time Stamp
22	BRS	L22	1	14 and (temperat\$4 therm\$4 polymer\$2) same refract\$4 near4 ind\$4 near12 (waveguide\$1 arm\$1 core\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:35
23	BRS	L23	1	14 and refract\$4 near4 ind\$4 near12 (active waveguide\$1 arm\$1 core\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:36
24	BRS	L24	1	22 and refract\$4 near4 ind\$4 near12 (active waveguide\$1 arm\$1 core\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/07/28 15:36

	Comments	Error Definition	Errors
22			
23			
24			